

www.vinvautz-france.com



Remark:
All capacities are based on Bordeaux type bottles 0.75 liter and subject to the number of shelves and display pattern.
The above mentioned specifications may be changed without prior notice due to product improvements.

* The above mentioned specifications may be changed in order to provide you the model with latest technology, please collect the details if necessary





VINVAUTZ

wine cellars

Vinvautz wine cellars embodies the passion that wine makers have shared throughout the centuries. Good wines only become great when aged to its truest potential. With this notion, Vinvautz began its mission in creating the Ultimate Wine Cellar.

Vinvautz wine cellars provides accurate and reliable triple condition management: temperature, humidity and lighting control. The storage environment is precisely monitored and regulated.

Silence is golden and Vinvautz's wine cooling is good as gold. The latest VIN™ Compressor and TE™ technology keeps the cellar free from vibrations. The wines are aged in stillness and tranquility, preserved in their sweetest slumber.

Vinvautz's latest collection of Wine Cellars is elegantly smooth yet bold, the true epitome of functionality and aesthetics.

CONTENTS

| | |
|--------------------------------|----|
| Why do we need a wine cellar | 3 |
| Ideal storage temperature | 4 |
| Choosing the right wine cellar | 5 |
| Wine Cellar Collection | |
| • Classe P. Polyvalent | 7 |
| • Classe S. Suprême | 7 |
| • Classe V. Inverter | 15 |
| • Classe E. Enthusiast | 19 |
| • Classe I. Integre | 23 |



why do we need a
WINE CELLAR

- A constant temperature is needed to reach the peak of the wine's development.
- Excessive humidity may cause mould to form.
- Insufficient humidity causes corks to dry out and shrink, which allows air to enter the bottle and alter chemical contents of the wine.
- Ultraviolet rays will promote the chemical degeneration of fine wine.
- Constant vibration re-integrates sediments into the wine, upsetting the aging process. In addition, vibrations can cause the cork to shift, altering the wines internal environment due to altered oxygen exposure.

ideal storage
TEMPERATURE

- 18°C** Well-aged Fine Bordeaux Reds, New World Cabernets or blends, good Côtes du Rhône, Barolo, Chianti Classico Reserva, Shiraz
- 17°C** Most red Burgundies from Côte-d'Or, New World Pinot Noir
- 16°C** Medium to lighter reds
- 15°C** Young and light red wines with high acidity
- 14°C** Red from Southern Burgundy
- 13°C** Auslese Wines or above, Sauternes, late-harvest or liquoreux sweet wines
- 11°C** Slightly sweet or moelleux wines. White Burgundy, Chardonnay, fine Bordeaux White, complex dry whites and well-aged Champagne
- 9°C** Auslese Wines, fine Champagne and Sekt, Italian Pinot Grigio, Tocai
- 8°C** Rosé wines, straight-forward sparkling wines, simple and dry whites

CHOOSING

the right wine cellar



Classe E
enthusiast

Classe P
polyvalent

Classe S
suprême

Classe V
inverter label-view

Beginner Range

Classe E range ideally for enthusiast maturing their wine with stylish design, precise temperature control and perfect insulation. Suits for initial storage without complexity and maximize security. As well as its compact dimension and flexibility of installation fits for most of the domestic and office location in no hesitation.

Intermediate Range

Collecting wine similarly as writing a poem which consume lot of efforts for gather the varieties to enrich your tastebuds line by line details. Classe P destined as a solution with its width of temperature setting and adaptability to shelves adjustment. Collectors can apply these feature to place varieties of wine harvested from Canada to South Australia in each difference shelves for enrich their wine poem creation.

Professional Range

The greatest pleasure of the connoisseur is viewing and access the collection in their voyage of wine discovery, our artieurs familiar with their favor and delivered the best design without compromise for our ranges. Modules sliding design made the access silently with no interference among bottles, as well as the shelves adjustment in easiest way.

Dimming light offered the connoisseur options to present their wine in elegant and harmony atmosphere.

Classe I

integre

Built-In

Classe I range perfectly fitted within cabinet with its built under structure, slim size and stainless steel door frame. Simply outlying but provide sense of harmony integrate into your kitchen design, optimize environment for serving and maturing wine with minimum constraint on installation requirement.



Classe P

polyvalent

Classe P range designed for your collection with a simplest and reliable storage environment. Optimal for maturing your wine safety with our varieties of feature on temperature and atmosphere control.

Classe S

suprême

Classe S range offer the new definition of storage experience, it allows you enjoy the versatility of drinks and function in easiest way.



^ Applicable to Classe S only



LOW-E GLASS
DOOR



COLLECTION
IDENTITY STRIP



SLIDING
SHELVES^



DIMMER LIGHT
SETTING^



AIR FILTRATION
SYSTEM



DIGITAL
CONTROL



VIN™
COMPRESSOR



BLUE LED



DUAL ZONE
SEAL^




RECESS
HANDLE



BUILT-UNDER
INSTALLATION^



SECURITY
LOCK



LOW-E GLASS DOOR

UV rays released by sunlight will degrade tannin within bottles. Low emissivity glass door is our solution of less UV enter and better heat resistant. As it higher heat loss reduction give cellar stable temperature and capability in against the condensation, this will provide maximize protection for your valuables.



DUAL ZONE SEAL

Dual Zone Seal isolate the air circulation between upper and lower compartment for securing the temperature stability, also it will assist for regulating the compartment temperature accuracy.

(Applicable to VZ43SDUG/VZ110SDUG/VZ140SDUG)



DUAL COOLING SYSTEM

The Dual Cooling System made compartment temperature interchange with no hesitate, bringing you all type of wine and drinks is now possible within one cellar.

(Applicable to VZ110SDUG/VZ140SDUG)



MODULARIZE SLIDING RACK/ SHELVES

Sliding system made your collection access ergonomically and vary your shelves configuration with less effort.

(Applicable to Classe S · Suprême)

Accessories

Sliding rack (VZSTRACK) - HK\$280/pair

Shelve (VZSSHELVE-L) - HK\$580/unit



MATRIX TRAY

(SUITS FOR VARIETIES OF ALCOHOL/ BEVERAGE)

Matrix Tray fitted all type of bottle sizes and allow you crossover the varieties without restriction, column and row can adjust freely with your need and imagination!

(Applicable to VZ140SDUG)

VZ140SDUG is capable to configurate with all sliding shelves VZSTRACK and VZSSHELVE-L)



COLLECTION IDENTITY STRIP

How to access your collection instantly? Collection identity strip let you take note for your favor bottle with better identification. Classe S provides full set strips (varies with models) among shelves for your notes. Classe P models attached with single strip for your notice.




HEAVY STACKING FOR SERVING QUANTITIES

Fine beech wood structured shelves provide reliable and robust capability for wine stacking, also wooden shelves can minimize the vibration.



RECESS HANDLE & REVERSIBLE DOOR

Your first contact with this cellar will be comforted by its recess door handle, benefit with its ergonomic design made you less effort to open the door. Convertible door hinge less your worry about storage area restriction, along with its adjustment can be take care by our service expert easily.



AIR FILTRATION SYSTEM

Throughout the air circulation, Odor might accumulate from storage substance and Active Carbon filter refresh the air and stabilize air quality.

(Applied on Classe P · Polyvalent)

Cork and label will be damaged by the mildew caused from poor air circulation and quality, application of Cold Catalyst minimize the risk with its long lasting and stable air purifying capability.

(Applicable to Classe S · Suprême)



2 LEVELS DIMMER LIGHT DESIGN


Blue LED lights luminate the cabinet in harmony to create an elegant glow atmosphere.

Mild or Brightness illumination level offered by our interior dimmer light, select your favorable setting while doing your wine treasure search.

(2 levels dimmer light design for Classe S · Suprême only)

Classe P

polyvalent




VZ47SSFG VZ111SSFG VZ151SSFG

SINGLE ZONE SINGLE ZONE SINGLE ZONE

| | | | |
|--|--------------------|---------------------|---------------------|
| Capacity | 47 Bottles | 111 Bottles | 151 Bottles |
| Temperature Zone | 5-18°C | 5-18°C | 5-18°C |
| Cooling System | VIN™ Compressor | VIN™ Compressor | VIN™ Compressor |
| Type of Shelves | Beechwood | Beechwood | Beechwood |
| No. of Shelves (Single Strip) | 3 Full | 5 Full, 1 Half | 7 Full, 1 Half |
| LED (Blue) | 1 Level | 1 Level | 1 Level |
| Security Lock | ✓ | ✓ | ✓ |
| Dimensions (mm) (Free Stand only) | 825H x 595W x 570D | 1395H x 595W x 675D | 1768H x 595W x 675D |
| Price | HK\$9,798 | HK\$13,988 | HK\$15,988 |

Loading Diagram


Traditional Bordeaux Bottles



Installation Diagram



Full Shelf




Half Shelf Full Shelf



Half Shelf Full Shelf

Classe S

suprême




VZ23SSUG VZ43SDUG VZ110SDUG VZ140SDUG

SINGLE ZONE DUAL ZONE DUAL ZONE DUAL ZONE

| | | | | |
|--|--------------------|-----------------------------------|----------------------------------|----------------------------------|
| Capacity | 23 Bottles | 43 Bottles 16/27 | 110 Bottles 55/55 | 140 Bottles 74/66 |
| Temperature Zone | 5-18°C | Upper : 5-12°C Lower : 12-18°C | Upper : 5-18°C Lower : 5-18°C | Upper : 5-18°C Lower : 5-18°C |
| Cooling System | VIN™ Compressor | VIN™ Compressor | VIN™ Compressor | VIN™ Compressor |
| Type of Shelves | Sliding Beechwood | Sliding Beechwood | Sliding Beechwood | Sliding Beechwood |
| No. of Shelves (Full Set Strip) | 5 Full, 1 Half | 4 Full | 9 Full, 1 Half | 9 Full, 1 Half 1 Matrix Tray |
| LED (Blue) | 2 Levels | 2 Levels | 2 Levels | 2 Levels |
| Security Lock | ✓ | ✓ | ✓ | ✓ |
| Dimensions (mm) | | | | |
| Overall : | 818H x 385W x 595D | 825H x 595W x 570D | 1395H x 595W x 675D | 1768H x 595W x 675D |
| Built-under : | 828H x 400W x 595D | 835H x 610W x 570D | 1405H x 610W x 675D | 1778H x 610W x 675D |
| Price | HK\$6,388 | HK\$12,288 | HK\$15,998 | HK\$21,688 |

Loading Diagram


Traditional Bordeaux Bottles



Installation Diagram



Half Shelf Full Shelf



Full Shelf



Half Shelf Full Shelf



Matrix Tray Half Shelf Full Shelf

Classe V

inverter label-view

Classe V range present the nicest view for collectors eye, illustrate bottles label hierarchically and access with your favor swiftly.



**INVERTER
COMPRESSOR**



**PULL-OUT
LABEL-VIEW
SHELVES**



**LOW-E GLASS
DOOR**



**DIMMER LIGHT
SETTING**



**CHARCOAL
FILTER**



**PERFECT
INSULATION**



**DIGITAL DISPLAY AND
TOUCHPAD INPUT**



WHITE LED



**RECESS
HANDLE**



**SECURITY
LOCK**



LABEL-VIEW SHELVES

Designed for listing out bottle perfectly, our cellar shelves shown the label clearly without any compromise on storage quantities and access convenience. The sliding system release your concern about bottle type variation affect your effort to enrich the collection.



VZSHELVE-XL (HKD\$780/unit) as a supplement accessories (10 bottles per shelf) which allows you fit in Bordeaux 750ml bottle to various bottles type (e.g. Sparkling wine, Burgundy bottles).

LOW-E GLASS DOOR

Resist from UV rays and Heat are vital factors for wine storage. Classe V equipped with Low emissivity glass for providing the effective solution to minimize the UV enter rate and heat interference. The low influence factor transmission rate goes less door condensation which reduce hesitate most of the user.



2 LEVELS DIMMER LIGHT SETTING

Dimming LED Lighting illuminate your collection in elegant glow, made your wine search goes enjoyable.



Classe V

inverter label-view



VZ143VSUG

SINGLE ZONE


| | |
|------------------|---------------------|
| Capacity | 143 Bottles |
| Temperature Zone | 5-22°C |
| Cooling System | Inverter Compressor |
| Type of Shelves | Sliding Label View |
| No. of Shelves | 11 Full, 1 Half |
| LED (Blue) | 2 Levels |
| Security Lock | ✓ |
| Dimensions (mm) | |
| Overall : | 1835H x 655W x 680D |
| Built-under : | 1845H x 670W x 690D |
| Price | HK\$28,988 |

Loading Diagram

Traditional Bordeaux Bottles



Installation Diagram



INVERTER COMPRESSOR

Temperature is one of the key for wine storage, harmony storage environment now achieved by our newly applied inverter drive compressor. The technique provides accurate and linear control to minimize the temperature fluctuation, as well as the lower vibration level with reduced compressor on/off impact.



CHARCOAL FILTER

For fulfilling the storage complexity requirement, excellent air circulation structure has been designed for sustain better air quality and reduce the mildew breed within. Along with air flow control, charcoal filter has been applied for remove the odor.



Classe E

enthusiast

Class E suits for enthusiast serving their wine in easiest way of its precise temperature control. Well-crafted insulation structure maximize security, its compact dimension and flexibility of installation ideally for most of the domestic and office location.

^ Applicable to VZ18BDHK/VZ24BDHK



COMPACT DESIGN



SLEEK TINTED GLASS DOOR



UV RESISTANT



ANTI-FINGERPRINT METAL FRAME



ANTI-VIBRATION



PERFECT INSULATION



DIGITAL CONTROL



DOUBLE-MODULE TE™ TECHNOLOGY^



RED LED DISPLAY PANEL



WHITE LED



ANTI-VIBRATION

Thanks for Fine Beechwood shelves which minimize the vibration and maintain storage in steady status.



TE™ TECHNOLOGY

Low noise and vibration structure suits for silence space and compact area.
(Applicable to VZ18BDHK/VZ24BDHK)



DIGITAL CONTROL

Precise temperature regulation with easy access temperature control.



PERFECT INSULATION

High Density Insulation structure stabilize cabinet temperature.



SLEEK TINTED GLASS DOOR

Exquisite tinted glass door and sleek black door frame to match the most sophisticated interior designs.



UV RESISTANT


Minimize UV rays cause tannin activation by Tinted UV resistant tempered glass.



ANTI-FINGERPRINT METAL FRAME


Sturdy and Stylish always metal frame design.

Classe E enthusiast




VZ12BHK

SINGLE ZONE



VZ18BHK

SINGLE ZONE



VZ18BDHK

DUAL ZONE



VZ24BDHK

DUAL ZONE

| | | | | |
|--|--------------------|--------------------|-----------------------------------|-----------------------------------|
| Capacity | 12 Bottles | 18 Bottles | 18 Bottles $\frac{9}{9}$ | 24 Bottles $\frac{12}{12}$ |
| Temperature Zone | 8-18°C | 8-18°C | Upper : 12-18°C Lower : 8-18°C | Upper : 12-18°C Lower : 8-18°C |
| Cooling System | TE™ Technology | TE™ Technology | Double-Module TE™ Technology | Double-Module TE™ Technology |
| Type of Shelves | Beechwood | Beechwood | Beechwood | Beechwood |
| No. of Shelves | 5 Full | 5 Full | 4 Full | 6 Full |
| LED (White) | 1 Level | 1 Level | 1 Level | 1 Level |
| Dimensions (mm) (Free Stand only) | 615H x 252W x 515D | 648H x 355W x 515D | 648H x 355W x 510D | 850H x 355W x 511D |
| Price | HK\$2,598 | HK\$2,998 | HK\$3,348 | HK\$3,698 |

Classe I

integre

Classe I range perfectly integrate within your kitchen with its compact size and simple installation. It offers flexibility for serving and maturing your wine without space limit at home.



^ Applicable to VZ07SSUG/VZ19SSUG only
Applicable to VZ07SSUG/VZ22BI only



**COMPACT
DESIGN**



**FLEXIBLE
APPLICATION[^]**



**LOW-E GLASS
DOOR**



**BRUSH STAINLESS
STEEL DOOR FRAME**



**DIGITAL
CONTROL**



**VIN™
COMPRESSOR**



LED LIGHT



**STEADY AND
SILENCE[#]**

Classe I integre



DIGITAL CONTROL

Precise temperature regulation with easy access temperature control.



COMPACT DESIGN

Apply difference installation scenario with no hesitation, provided built-under dimension for your idea of flush-fitting preparation.



FLEXIBLE APPLICATION

Free Standing / Built-In installation design for flexible application.
(Applicable to VZ07SSUG and VZ19SSUG)



LOW-E GLASS DOOR

Low E glass door reduce UV entry to degrade the tannin within bottles.



BRUSHED STAINLESS STEEL DOOR FRAME

Fingerprint resistant and stylish aesthetic with easy care design.



ANTI-VIBRATION COMPRESSOR

Low noise design keep silence all the times.



STEADY AND SILENCE

Fine Beechwood shelves keep the collection storage in stable environment.
(Applicable to VZ07SSUG and VZ22BI)



VZ07SSUG

SINGLE ZONE



VZ19SSUG

SINGLE ZONE




VZ22BI

SINGLE ZONE

| | | | |
|--------------------------------|--------------------|--------------------|--------------------|
| Capacity | 7 Bottles | 19 Bottles | 22 Bottles |
| Temperature Zone | 5-18°C | 5-18°C | 5-18°C |
| Cooling System | VIN™ Compressor | VIN™ Compressor | VIN™ Compressor |
| Type of Shelves | Metal | Metal | Beechwood |
| No. of Shelves | Integrated 6 Level | 2 Full, 2 Half | 3 Full |
| LED | White, 1 Level | Blue, 1 Level | Blue, 1 Level |
| Dimensions (mm) | | | |
| Overall : | 825H x 148W x 546D | 820H x 295W x 570D | 456H x 591W x 558D |
| Overall (with handle) : | 825H x 148W x 588D | 820H x 295W x 616D | 456H x 591W x 603D |
| Built-under : | 830H x 155W x 600D | 830H x 305W x 620D | 458H x 560W x 585D |
| Price | HK\$4,988 | HK\$5,998 | HK\$11,588 |

Loading Diagram

Traditional Bordeaux Bottles



Installation Diagram

