

The Ultimate Choice
VINVAUTZ
WINE CELLAR

www.vinvautz-france.com

Remark:
All capacities are based on Bordeaux type bottles 0.75 liter and subject to the number of shelves and display pattern.
The above mentioned specifications may be changed without prior notice due to product improvements.

* The above mentioned specifications may be changed in order to provide you the model with latest technology, please collect the details if necessary



WWW.GILMAN-GROUP.COM

Proudly Serviced by:



WWW.DCHTOOLBOX.COM



VINWC202209



VINVAUTZ

wine cellars

Vinvautz wine cellars embodies the passion that wine makers have shared throughout the centuries. Good wines only become great when aged to its truest potential. With this notion, Vinvautz began its mission in creating the Ultimate Wine Cellar.

Vinvautz wine cellars provides accurate and reliable triple condition management: temperature, humidity and lighting control. The storage environment is precisely monitored and regulated.

Silence is golden and Vinvautz's wine cooling is good as gold. The latest VIN™ Compressor and TE™ technology keeps the cellar free from vibrations. The wines are aged in stillness and tranquility, preserved in their sweetest slumber.

Vinvautz's latest collection of Wine Cellars is elegantly smooth yet bold, the true epitome of functionality and aesthetics.

CONTENTS

Why do we need a wine cellar	3
Ideal storage temperature	4
Choosing the right wine cellar	5
Wine Cellar Collection	
• Classe A. Artieurs	7
• Classe S. Suprême	7
• Classe P. Polyvalent	7
• Classe V. Inverter	19
• Classe E. Enthusiast	23
• Classe I. Integre	27

why do we need a **WINE CELLAR**

- A constant temperature is needed to reach the peak of the wine's development.
- Excessive humidity may cause mould to form.
- Insufficient humidity causes corks to dry out and shrink, which allows air to enter the bottle and alter chemical contents of the wine.
- Ultraviolet rays will promote the chemical degeneration of fine wine.
- Constant vibration re-integrates sediments into the wine, upsetting the aging process. In addition, vibrations can cause the cork to shift, altering the wines internal environment due to altered oxygen exposure.

ideal storage **TEMPERATURE**

- 18°C** Well-aged Fine Bordeaux Reds, New World Cabernets or blends, good Côtes du Rhône, Barolo, Chianti Classico Reserva, Shiraz
- 17°C** Most red Burgundies from Côte-d'Or, New World Pinot Noir
- 16°C** Medium to lighter reds
- 15°C** Young and light red wines with high acidity
- 14°C** Red from Southern Burgundy
- 13°C** Auslese Wines or above, Sauternes, late-harvest or liqueux sweet wines
- 11°C** Slightly sweet or moelleux wines. White Burgundy, Chardonnay, fine Bordeaux White, complex dry whites and well-aged Champagne
- 9°C** Auslese Wines, fine Champagne and Sekt, Italian Pinot Grigio, Tocai
- 8°C** Rosé wines, straight-forward sparkling wines, simple and dry whites

CHOOSING


the right wine cellar



Classe A
artieurs · inverter

Prominent Range

Benefit with inverter compressor driven cooling system, Connoisseur will enjoys the stable temperature control and lowest vibration storage. Temperature and functions adjustment impact to storage will be minimized with our touch screen control panel. Enhanced modules sliding design made user access the collections silently and loading with varieties of bottle types without hesitation.



Classe S
suprême

Professional Range

The greatest pleasure of the connoisseur is viewing and access the collection in their voyage of wine discovery, our artieurs familiar with their favor and delivered the best design without compromise for our ranges. Modules sliding design made the access silently with no interference among bottles, as well as the shelves adjustment in easiest way. Dimming light offered the connoisseur options to present their wine in elegant and harmony atmosphere.



Classe P
polyvalent

Intermediate Range

Collecting wine similarly as writing a poem which consume lot of efforts for gather the varieties to enrich your tastebuds line by line details. Classe P destined as a solution with its width of temperature setting and adaptability to shelves adjustment. Collectors can apply these feature to place varieties of wine harvested from Canada to South Australia in each difference shelves for enrich their wine poem creation.




Classe V
inverter label-view

Distinctive Range

Label view range present its uniqueness among in all other ranges, its distinctive design in every aspect of the product features. Remarkable appearance with its label view shelves indicated Wine Label in ease for searching and present to the viewer. Accurate temperature control with silent operation delivered by inverter compressor to keep the storage in harmony atmosphere, it's sliding shelves structure comfort the user from the concerns of movement vibration caused by the access of bottles.

Beginner Range

Classe E range ideally for enthusiast maturing their wine with stylish design, precise temperature control and perfect insulation. Suits for initial storage without complexity and maximize security. As well as its compact dimension and flexibility of installation fits for most of the domestic and office location in no hesitation.



Classe E
enthusiast

Classe I
integre

Built-In

Classe I range perfectly fitted within cabinet with its built under structure, slim size and stainless steel door frame. Simply outlying but provide sense of harmony integrate into your kitchen design, optimize environment for serving and maturing wine with minimum constraint on installation requirement.



Classe A

artieurs · inverter

Classe A range represent the craftsman spirit for wine storage experience. Applied with latest compressor technology to provide the most reliable storage environment control, and its advance concept of storage structure unlock the infinity configuration by user's hand. All new experience is waiting for user going to explore.

Classe S

suprême

Classe S range offer the new definition of storage experience, it allows you enjoy the versatility of drinks and function in easiest way.

Classe P

polyvalent

Classe P range designed for your collection with a simplest and reliable storage environment. Optimal for maturing your wine safety with our varieties of feature on temperature and atmosphere control.



**INVERTER
COMPRESSOR**
(CLASSE A)



**EXTERNAL TOUCH
KEY PANEL**
(CLASSE A)



**LOW-E GLASS
DOOR**



**COLLECTION
IDENTITY STRIP**



**SLIDING
SHELVES**
(CLASSE A & S)



**DIMMER LIGHT
SETTING**
(CLASSE S)



**AIR FILTRATION
SYSTEM**



**DIGITAL
CONTROL**



**VIN™
COMPRESSOR**
(CLASSE S & P)



BLUE LED



**DUAL ZONE
SEAL**
(CLASSE S)



**RECESS
HANDLE**



**BUILT-UNDER
INSTALLATION**
(CLASSE A & S)



**SECURITY
LOCK**



EXTERNAL TOUCH KEY PANEL

The best way to stabilize the cellar storage environment is minimize the fluctuation of temperature and humidity impact, user adjust the storage zone temperature setting and illuminate light on & off easily with the external touch control panel. Throughout this feature, it reduces the wine storage disturbance with lesser door open needed for setting adjustment.
(Applicable to Classe A)



INVERTER COMPRESSOR WITH INTEGRATED SENSOR SYSTEM


With latest cooling technology, Classe A provides wider temperature setting and much accurate temperature control. Integrated sensor system monitor the cellar temperature variation and calibrate the cooling system continuously for minimizing the environment fluctuation. The sensor system reflect the units status to different control system for maintain the cellar works efficiency and secure your storage in safe.
(Applicable to Classe A)



SHOWCASE SHELVES

Further than Matrix Tray applied for different bottle type storage, show case shelf allows user presents their wine collection and storage the bottle in one shelf without compromise the storage capability.
(Applicable to VZ181VDUG)





LOW-E GLASS DOOR

UV rays released by sunlight will degrade tannin within bottles. Low emissivity glass door is our solution of less UV enter and better heat resistant. As it higher heat loss reduction give cellar stable temperature and capability in against the condensation, this will provide maximize protection for your valuables.



DUAL ZONE SEAL

Dual Zone Seal isolate the air circulation between upper and lower compartment for securing the temperature stability, also it will assist for regulating the compartment temperature accuracy.

(Applicable to VZ43SDUG/VZ110SDUG/VZ140SDUG)



DUAL COOLING SYSTEM

The Dual Cooling System made compartment temperature interchange with no hesitate, bringing you all type of wine and drinks is now possible within one cellar.

(Applicable to VZ110SDUG/VZ140SDUG)



MODULARIZE SLIDING RACK/ SHELVES

Sliding system made your collection access ergonomically and vary your shelves configuration with less effort.

(Applicable to Classe S · Suprême)

Accessories

Sliding rack (VZSTRACK) - HK\$280/pair

Shelve (VZSSHELVE-L) - HK\$580/unit



MATRIX TRAY

(SUITS FOR VARIETIES OF ALCOHOL/ BEVERAGE)

Matrix Tray fitted all type of bottle sizes and allow you crossover the varieties without restriction, column and row can adjust freely with your need and imagination!

(Applicable to VZ181VDUG and VZ140SDUG)

VZ140SDUG is capable to configurate with all sliding shelves VZSTRACK and VZSSHELVE-L)



COLLECTION IDENTITY STRIP

How to access your collection instantly? Collection identity strip let you take note for your favor bottle with better identification. Classe A & S provides full set strips (varies with models) among shelves for your notes. Classe P models attached with single strip for your notice.




HEAVY STACKING FOR SERVING QUANTITIES

Fine beech wood structured shelves provide reliable and robust capability for wine stacking, also wooden shelves can minimize the vibration.



RECESS HANDLE & REVERSIBLE DOOR

Your first contact with this cellar will be comforted by its recess door handle, benefit with its ergonomic design made you less effort to open the door. Convertible door hinge less your worry about storage area restriction, along with its adjustment can be take care by our service expert easily.



AIR FILTRATION SYSTEM

Throughout the air circulation, Odor might accumulate from storage substance and Active Carbon filter refresh the air and stabilize air quality. (Applicable to Classe A & P)

Cork and label will be damaged by the mildew caused from poor air circulation and quality, application of Cold Catalyst minimize the risk with its long lasting and stable air purifying capability. (Applicable to Classe S)




2 LEVELS DIMMER LIGHT DESIGN

Blue LED lights illuminate the cabinet in harmony to create an elegant glow atmosphere.

Mild or Brightness illumination level offered by our interior dimmer light, select your favorable setting while doing your wine treasure search. (2 levels dimmer light design for Classe S · Suprême only)



VZ46VDUG





VZ181VDUG

DUAL ZONE

DUAL ZONE

Capacity	46 Bottles 16 / 30	181 Bottles 89 / 92
Temperature Zone	Upper : 5-20°C Lower : 5-20°C	Upper : 5-20°C Lower : 5-20°C
Cooling System	Inverter Compressor	Inverter Compressor
Type of Shelves	Sliding Beechwood	Sliding Beechwood
No. of Shelves (Full Set Strip)	5 Full, 1 Half	9 Full, 2 Half, 1 Matrix Tray
LED (Blue)	1 Level	1 Level
Security Lock	✓	✓
Dimensions (mm)		
Overall :	813H x 595W x 570D	1835H x 655W x 685D
Built-under :	850H x 605W x 580D	1850H x 670W x 700D


Loading Diagram
Traditional Bordeaux Bottles



Installation Diagram



Half Shelf Full Shelf



Matrix Tray Half Shelf Full Shelf



VZ23SSUG

SINGLE ZONE



VZ43SDUG

DUAL ZONE



VZ110SDUG

DUAL ZONE




VZ140SDUG

DUAL ZONE

Capacity	23 Bottles	43 Bottles $\frac{16}{27}$	110 Bottles $\frac{55}{55}$	140 Bottles $\frac{74}{66}$
Temperature Zone	5-18°C	Upper : 5-12°C Lower : 12-18°C	Upper : 5-18°C Lower : 5-18°C	Upper : 5-18°C Lower : 5-18°C
Cooling System	VIN™ Compressor	VIN™ Compressor	VIN™ Compressor	VIN™ Compressor
Type of Shelves	Sliding Beechwood	Sliding Beechwood	Sliding Beechwood	Sliding Beechwood
No. of Shelves (Full Set Strip)	5 Full, 1 Half	4 Full	9 Full, 1 Half	9 Full, 1 Half 1 Matrix Tray
LED (Blue)	2 Levels	2 Levels	2 Levels	2 Levels
Security Lock	✓	✓	✓	✓
Dimensions (mm)				
Overall :	818H x 385W x 595D	825H x 595W x 570D	1395H x 595W x 675D	1768H x 595W x 675D
Built-under :	828H x 400W x 595D	835H x 610W x 570D	1405H x 610W x 675D	1778H x 610W x 675D


Loading Diagram

Traditional Bordeaux Bottles




VZ47SSFG

SINGLE ZONE



VZ111SSFG

SINGLE ZONE




VZ151SSFG

SINGLE ZONE

Capacity	47 Bottles	111 Bottles	151 Bottles
Temperature Zone	5-18°C	5-18°C	5-18°C
Cooling System	VIN™ Compressor	VIN™ Compressor	VIN™ Compressor
Type of Shelves	Beechwood	Beechwood	Beechwood
No. of Shelves (Single Strip)	3 Full	5 Full, 1 Half	7 Full, 1 Half
LED (Blue)	1 Level	1 Level	1 Level
Security Lock	✓	✓	✓
Dimensions (mm) (Free Stand only)	825H x 595W x 570D	1395H x 595W x 675D	1768H x 595W x 675D

Loading Diagram

Traditional Bordeaux Bottles



Classe V

inverter label-view

Classe V range present the nicest view for collectors eye, illustrate bottles label hierarchically and access with your favor swiftly.



**INVERTER
COMPRESSOR**



**PULL-OUT
LABEL-VIEW SHELVES**



**LOW-E GLASS
DOOR**



**DIMMER LIGHT
SETTING**



**CHARCOAL
FILTER**



**PERFECT
INSULATION**



**DIGITAL DISPLAY AND
TOUCHPAD INPUT**



WHITE LED



**RECESS
HANDLE**



**SECURITY
LOCK**



LABEL-VIEW SHELVES

Designed for listing out bottle perfectly, our cellar shelves shown the label clearly without any compromise on storage quantities and access convenience. The sliding system release your concern about bottle type variation affect your effort to enrich the collection.



VZSHELVE-XL (HKD\$780/unit) as a supplement accessories (10 bottles per shelf) which allows you fit in Bordeaux 750ml bottle to various bottles type (e.g. Sparkling wine, Burgundy bottles).

LOW-E GLASS DOOR

Resist from UV rays and Heat are vital factors for wine storage, Classe V equipped with Low emissivity glass for providing the effective solution to minimize the UV enter rate and heat interference. The low influence factor transmission rate goes less door condensation which reduce hesitate most of the user.



2 LEVELS DIMMER LIGHT SETTING

Dimming LED Lighting illuminate your collection in elegant glow, made your wine search goes enjoyable.



INVERTER COMPRESSOR

Temperature is one of the key for wine storage, harmony storage environment now achieved by our newly applied inverter drive compressor. The technique provides accurate and linear control to minimize the temperature fluctuation, as well as the lower vibration level with reduced compressor on/off impact.



CHARCOAL FILTER

For fulfilling the storage complexity requirement, excellent air circulation structure has been designed for sustain better air quality and reduce the mildew breed within. Along with air flow control, charcoal filter has been applied for remove the odor.




VZ143VSUG

SINGLE ZONE


Capacity	143 Bottles
Temperature Zone	5-22°C
Cooling System	Inverter Compressor
Type of Shelves	Sliding Label View
No. of Shelves	11 Full, 1 Half
LED (Blue)	2 Levels
Security Lock	✓
Dimensions (mm)	
Overall :	1835H x 655W x 680D
Built-under :	1845H x 670W x 690D

Loading Diagram

Traditional Bordeaux Bottles



Installation Diagram





Classe E

enthusiast

Class E suits for enthusiast serving their wine in easiest way of its precise temperature control. Well-crafted insulation structure maximize security, its compact dimension and flexibility of installation ideally for most of the domestic and office location.

^ Applicable to VZ18BDHK/VZ24BDHK



COMPACT DESIGN



SLEEK TINTED GLASS DOOR



UV RESISTANT



ANTI-FINGERPRINT METAL FRAME



ANTI-VIBRATION



PERFECT INSULATION



DIGITAL CONTROL



DOUBLE-MODULE TE™ TECHNOLOGY^



RED LED DISPLAY PANEL



WHITE LED



ANTI-VIBRATION

Thanks for Fine Beechwood shelves which minimize the vibration and maintain storage in steady status.



TE™ TECHNOLOGY

Low noise and vibration structure suits for silence space and compact area.
(Applicable to VZ18BDHK/VZ24BDHK)



DIGITAL CONTROL

Precise temperature regulation with easy access temperature control.



PERFECT INSULATION

High Density Insulation structure stabilize cabinet temperature.



SLEEK TINTED GLASS DOOR

Exquisite tinted glass door and sleek black door frame to match the most sophisticated interior designs.



UV RESISTANT

Minimize UV rays cause tannin activation by Tinted UV resistant tempered glass.



ANTI-FINGERPRINT METAL FRAME

Sturdy and Stylish always metal frame design.



VZ12BHK

VZ18BHK

VZ18BDHK

VZ24BDHK

SINGLE ZONE

SINGLE ZONE

DUAL ZONE

DUAL ZONE

Capacity	12 Bottles	18 Bottles	18 Bottles $\frac{9}{9}$	24 Bottles $\frac{12}{12}$
Temperature Zone	8-18°C	8-18°C	Upper : 12-18°C Lower : 8-18°C	Upper : 12-18°C Lower : 8-18°C
Cooling System	TE™ Technology	TE™ Technology	Double-Module TE™ Technology	Double-Module TE™ Technology
Type of Shelves	Beechwood	Beechwood	Beechwood	Beechwood
No. of Shelves	5 Full	5 Full	4 Full	6 Full
LED (White)	1 Level	1 Level	1 Level	1 Level
Dimensions (mm) (Free Stand only)	615H x 252W x 515D	648H x 355W x 515D	648H x 355W x 510D	850H x 355W x 511D

Classe I

integre

Classe I range perfectly integrate within your kitchen with its compact size and simple installation. It offers flexibility for serving and maturing your wine without space limit at home.



**COMPACT
DESIGN**



**FLEXIBLE
APPLICATION**



**LOW-E GLASS
DOOR**



**BRUSH STAINLESS
STEEL DOOR FRAME**



**DIGITAL
CONTROL**



**VIN™
COMPRESSOR**



LED LIGHT



**STEADY AND
SILENCE**



DIGITAL CONTROL

Precise temperature regulation with easy access temperature control.



COMPACT DESIGN

Apply difference installation scenario with no hesitation, provided built-under dimension for your idea of flush-fitting preparation.



FLEXIBLE APPLICATION

Free Standing / Built-In installation design for flexible application.



LOW-E GLASS DOOR

Low E glass door reduce UV entry to degrade the tannin within bottles.



BRUSHED STAINLESS STEEL DOOR FRAME

Fingerprint resistant and stylish aesthetic with easy care design.



ANTI-VIBRATION COMPRESSOR

Low noise design keep silence all the times.



STEADY AND SILENCE

Fine Beechwood shelves keep the collection storage in stable environment.



VZ07SSUG

SINGLE ZONE




VZ20SSUG

SINGLE ZONE

Capacity	7 Bottles	20 Bottles
Temperature Zone	5-18°C	5-20°C
Cooling System	VIN™ Compressor	VIN™ Compressor
Type of Shelves	Metal	Beechwood
No. of Shelves	Integrated 6 Level	5 Full, 1 Half
LED	White, 1 Level	Blue, 1 Level
Dimensions (mm)		
Overall :	825H x 148W x 546D	820H x 295W x 570D
Overall (with handle) :	825H x 148W x 588D	820H x 295W x 615D
Built-under :	830H x 155W x 600D	830H x 305W x 620D

Loading Diagram

Traditional Bordeaux Bottles



Installation Diagram

